



ANIMAL

HEALTH & NUTRITION



PRODUCT CATALOGUE

ENZYME SERIES

INDIVIDUAL ENZYMES

PHYTASE SERIES

Rossari phytase series contains highly effective phytate reducing enzyme produced by solid state fermentation (SSF) technology that catalyses the stepwise removal of inorganic phosphorus from Phytic acid thus making the feed readily digestible. Along with phosphorus other minerals like Calcium, Zinc, Copper, Magnesium and Amino acids are released from the Phytate complex for physiological functions of the body.

Product Name	Usage	Pack Size
ROSSPHYTE 5000 RG	80 - 100 g / tonne of feed	25 kg Bag
ROSSPHYTE 10000 DG	40 - 60 g / tonne of feed	25 kg Bag
PHYTOBAC	80 - 100 g / tonne of feed	25 kg Bag

PROTEASE ENZYME

Protease enzyme optimizes the protein availability in poultry feed. It catalyzes the hydrolysis of complex proteinaceous compounds present in the feed ingredients used in poultry diet thereby facilitating better protein utilization, decreasing the requirement of dietary protein and in return reducing the nitrogen in manure. Suitable for both pellet & mash feed administration.

Product Name	Usage	Pack Size
PROTOXY FORTE	200 - 350 g / tonne of feed	25 kg Drum

XYLANASE ENZYME

Xylanase enzyme catalyzes the hydrolysis of arabinoxylan present in the form of NSP in poultry feed ingredients. NSP mainly comprises of undigestible plant residues like arabinoxylans. Suitable for both pellet & mash feed administration.

Product Name	Usage	Pack Size
XYLOT EX	120 - 150 g / tonne of feed	25 kg Bag & Drum

AMYLASE ENZYME

Product Name	Usage	Pack Size
ROSSAMYL	200 g / tonne of feed	25 kg Bag & Drum

LIPASE ENZYME

Product Name	Usage	Pack Size
ROSSLIPASE	200 g / tonne of feed	25 kg Bag & Drum

MANNANASE ENZYME

Product Name	Usage	Pack Size
MANNOBAC	250 - 350 g / tonne of feed	25 kg Bag & Drum

COCKTAIL ENZYMES

Cocktail Enzymes are unique blend of NSP degrading enzymes, along with probiotics which ensures total nutrient metabolism, feed cost optimization and maximizes profit.

Product Name	Usage	Pack Size
MAXIZYME EX	250 g / tonne of feed	25 kg Bag & Drum
ROSSZYME PLUS	250 g / tonne of feed	30 kg Bag & Drum
GLUCAXYL	250 g / tonne of feed	25 kg Bag & Drum

VITAMIN PREMIX (POWDER / LIQUID)

A complex blend containing vitamins in a balanced form which regulates metabolic process, plays a vital role in energy transformation, thus maintaining osmotic pressure and acid base balance (pH) for normal functioning and productivity of birds.

POWDER

FOR LAYERS

Product Name	Usage	Pack Size
ROSSVMIX AR	250 g / tonne of feed	25 kg Bag
ROSSVMIX AR PREMIUM	500 g / tonne of feed	10 kg Pail

FOR BROILERS

Product Name	Usage	Pack Size
ROSSVBRO	500 g / tonne of feed	25 kg Drum
ROSSVBRO PREMIUM	250 g / tonne of feed	10 kg Pail

FOR BREEDERS

Product Name	Usage	Pack Size
ROSSVMIX BD LS	1 kg / tonne of feed	25 kg Bag
ROSSVMIX BDLS PREMIUM	1 kg / tonne of feed	25 kg Drum

LIQUID

A unique palatable blend of vitamins formulated specially to protect birds from deficiency diseases, improve production parameters & compensate for the vitamin losses from the feed ingredients generally encountered during feed processing, transportation, storage and environmental conditions. Also helps in alleviating stress in chickens due to different management practices and weather.

Product Name	Usage	Pack Size
NEUTRAVSOL	<u>Broiler / Layers / Growers / Breeders</u> 5-10 ml / day for 100 birds <u>Chicks</u> 5 ml / day for 100 chicks	250 ml, 500 ml & 1L
NEUTRASOL - A	3 ml / 100 birds/ day	1 L Bottle



ACIDIFIER

GUT ACIDIFIER

A blend of organic acids with HSCAS & MOS which lower the pH of the gut thereby inhibiting the growth of pathogens in the intestine. Acidic pH in the gut also ensures that there is no competition for the host nutrients between intestinal microflora and the pathogens.

Product Name	Usage	Pack Size
ROSSCID	500 g / 1 kg tonne of feed	25 kg Bag or Drum

WATER ACIDIFIER

The optimally blend water acidifier with broad spectrum of antimicrobial efficacy & sustainable water pH maintenance capacity.

Product Name	Usage	Pack Size
ROSSYSIL	1ml / 5 L of drinking water for 1st day followed by 1ml / 10 L of drinking water for 4-5 days (Exact product dose should be calculated after considering the actual pH of the water)	1 L & 5 L Bottle

ESSENTIAL OIL

Unique water soluble concentrate based on a combination of natural essential oils that are produced by the secondary metabolism of aromatic plants having antimicrobial, antispasmodic, bronchodilator and anti-inflammatory properties.

Product Name	Usage	Pack Size
RESPITE DX	<u>Prophylaxis</u> 1 ml / 5 L in drinking water <u>In severe Conditions</u> 1 ml / 5 L in drinking water twice daily <u>Spraying</u> 15 -20 ml / L water diluted in 3 liter of water for 1000 birds	250 ml, 500 ml & 1L Bottle

DISINFECTANT

Powerful, safe, bio-degradable and highly effective combinations of biocides with broad spectrum anti-microbial activity.

Product Name	Usage	Pack Size
MAX O BAN PLUS	5ml / L of water (Spray) 20ml / L of water (ULV fogging) 10ml / L of water (Pipe line sanitation)	1 L & 5 L Pack

TOXIN BINDER

Broad spectrum mycotoxin binder with superior mycotoxin binding capacity that helps to trap mycotoxins like Aflatoxins, Ochratoxins and Zearalenone

Product Name	Usage	Pack Size
ROSSBIND PLUS	500 g to 1kg / tonne of feed, depending on the moisture percentage of feed	25 kg Bag



TRACE MINERALS

Scientifically balanced blend of micro-fined trace minerals with probiotics for regulation of several essential metabolic functions. The probiotics ensure a healthy gut for optimal absorption of the minerals.

Product Name	Usage	Pack Size
TRIMIN FORTE	<u>Broilers / Layers:</u> 500g - 1kg / tonne of feed	25 kg Bag & Drum
	<u>Breeders:</u> 1 - 1.5 kg / tonne of feed	25 kg Bag & Drum

PROBIOTICS

Multi-strain probiotic to improve gut health

Product Name	Usage	Pack Size
PROMEZ FS	Thoroughly mix 150 g of ProMez FS per tonne of complete poultry feed. Premixing is recommended to assure a through mix	5 kg Bag
PROMEZ WS	<p><u>For Broilers, Layers & Breeders -</u> In stress conditions & for newly placed chicks - 1g / L for 5 - 7 days, thereafter 1g / 5L of water for continuous use For routine use - 1 g / 5 L of water for continuous use</p> <p><u>Newly hatched chick-</u> Spray : 150 g / 1000 ml water for 4000 chicks (From 3 ft Distance & soak for 1 hr. before using @30 psi pressure) - Application at Hatchery: Immediately on hatching - Application at farm: Immediately on arrival of birds</p>	500 g Pack



LIVER TONIC

Liver Tonic with toxin binder for protecting liver and neutralizing mycotoxins. Hepatolin helps in regenerating liver tissues damaged by various toxins, infectious disease and stimulates nucleic acid synthesis. It also boosts liver for optimum production and improves immunity.

Product Name	Usage	Pack Size
HEPATOLIN	Drinking water application	1L & 5L
	<u>For Broilers</u>	
	10-20 ml / 100 birds for 2-3 days every week till date of marketing	
	<u>For Layers -</u>	
	Chicks 5-7ml / 100 birds for 7 days / month	
	Grower 10-12ml / 100 birds for 7 days / month	
	Layer 15-20ml / 100 birds for 7 days / month	
	<u>For Breeders</u>	
	20-25 ml / 100 birds for 7 days / month	

CHOLINE CHLORIDE

Choline is a lipotropic agent & performance promoter. It has three essential functions - cell membrane formation, acetylcholine synthesis and fat mobilization.

Product Name	Usage	Pack Size
LIPOTRIM 60	Layers 1000 to 1500 g / MT of feed	20 kg Bag
	Breeders 1900 to 2300 g /MT of feed	20 kg Bag
	Broilers 1900 to 2300 g / MT of feed	20 kg Bag

GROWTH PROMOTERS

Product Name	Usage	Pack Size
BACIMAC (Antibiotic Growth Promoter- Bacitracin Methylene Disalicyclate 10%)	Thoroughly mix 200 - 500 g in 1 tonne of complete feed to provide 20-50 ppm of bacitracin activity	20 kg Drum
ROSSCTC (Chlortetracycline HCl 15%)	335g in one tonne of feed or 1 kg in 3MT of feed	25 kg Bag

ANTI-COCCIDIAL RANGE

NIMACID

MONENSIN	8%
+	
NICARBAZIN	8%
Usage in Broiler Chickens Minimum & Maximum content of monensin/nicarbazin in complete poultry feed	40 - 50 ppm
Minimum & Maximum Nimacid incorporated in feed	500 - 625 g / tonne

SALICOX

Salinomycin	12%
Usage in Broiler Chickens Minimum & Maximum content of salinomycin in complete poultry feed	60 - 70 ppm
Minimum & Maximum Salicox incorporated in feed	500 - 583 g / tonne

THERAPEUTIC RANGE

Product Name	Usage	Pack Size
ENROS (Enrofloxacin 10%)	10 mg / kg body weight / day for 3-5 days. For Salmonellosis, mixed infections or chronic forms of infections, treat for 5 consecutive days	1L & 5L Pack
MICONIL 10% (Tiamulin Hydrogen Fumarate 100g)	<u>Administer Miconil 10% feed premix</u> • At the rate of 300 g / tonne of feed (Broilers) • At the rate of 500 g / tonne of feed for 7 days in a month (Breeder / Layer)	1 kg Pack





OUR MISSION

Maximize value addition to lives of people through power of science & innovation



OUR VISION

Constantly strive for better products through innovation thereby offering best solution to customers and serving the interest of man and environment together



OUR VALUES

Making you more competitive



ROSSARI BIOTECH LIMITED

(An ISO 9001:2015 & 14001:2015 & GMP Certified Company)

201 A & B, Ackruti Corporate Park, LBS Marg, Next to GE Gardens, Kanjurmarg (W), Mumbai - 400 078. India.
Tel. No.:+91-22-6123 3800, Fax: +91-22-2579 6982, Email : info@rossarimail.com, Website : www.rossari.com