


ROSSBIND PLUS B



A COMPLETE TOXIN BINDER

The presence of mycotoxins in feed decreases feed intake and affects birds performance. Mycotoxin contamination affects both the organoleptic characteristics and the nutritional value of feed and entails a risk of toxicosis.

• ROSSARI BIOTECH LIMITED •

(An ISO 9001:2015 & 14001:2015 & GMP Certified Company)
201 A & B, Ackruti Corporate Park, Next to G. E. Gardens, LBS Marg,
Kanjurmarg (West), Mumbai - 400078, India.

+91 22 6123 3800

info@rossarimail.com

www.rossari.com



ROSSBIND PLUS B



Rossbind Plus B is broad spectrum mycotoxin binder with superior mycotoxin binding capacity. It helps to trap mycotoxins like Aflatoxins, Ochratoxins and Zearalenone present in poultry feed.

CONTENT

Each Kg Contains	
Acetic Acid	50 gm
Formic Acid	50 gm
Propionic Acid	15 gm
Citric Acid	15 gm
Mannan Oligosaccharide	50 gm
Activated Charcoal	10 gm
Extract of Garlic	20 gm
Extract of Azadiracta Indica	10 gm
HSCAS	780 gm/1 Kg

BENEFITS

- Broad spectrum toxin binder for poultry feed
- Detoxifies mycotoxins and chemical toxins
- Prevents aflatoxicosis and ochratoxicosis
- Inhibits growth of mould and fungi in feed, thus reduces feed contamination
- Prevents caking of poultry feed
- Improves feed utilization and high FCR
- Protects liver and improves overall performance

Detoxifies Multiple Mycotoxins

TOXICITY & SIDE EFFECT

No Toxicity and Side effects

DOSAGE

500 gms-1kg per ton of feed, depending on moisture percentage or as directed by Veterinarian

PRESENTATION

25 kg Bag

STORAGE

Store in cool and dry place, away from direct Sun light

SHELF LIFE 2 Years



• ROSSARI BIOTECH LIMITED •

(An ISO 9001:2015 & 14001:2015 & GMP Certified Company)
201 A & B, Ackruti Corporate Park, Next to G. E. Gardens, LBS Marg,
Kanjurmarg (West), Mumbai - 400078, India.

+91 22 6123 3800

info@rossarimail.com

www.rossari.com

